

## Polyclonal Antibody to Insulin Like Growth Factor Binding Protein 3 (IGFBP3)

## Catalog No: FY-AB34178

Organism Species: Bos taurus; Bovine (Cattle)

Application: WB; IHC; ICC; IP.

Alternative Names: BP53; IBP3; Growth Hormone-Dependent Binding Protein; Acid Stable Subunit Of The 140 K IGF Complex

## Polyclonal antibody preparation Source Rabbit Host species Mu; **Cross Reactivity** Antigen-specific + Protein A affinity chromatography Purification Metabolic pathway; Tumor immunity; **Research** Area Liquid Appearance 200µl;500µg/mL Size PBS, pH7.4, containing 0.02% NaN3, 50% glycerol. Formulation Recombinant Insulin Like Growth Factor Binding Protein 3 (IGFBP3) Immunogen Western blotting: 0.5-2µg/mL Immunohistochemistry: 5-20µg/mL Application Immunocytochemistry: 5-20µg/mL Stable for 12 months. at -20°C from date of shipment. Aliquot to avoid repeated freezing and thawing. Store at 2-8°C for frequent use. Storage instructions For maximum recovery of product, centrifuge the original vial after thawing and prior to removing the cap. The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, Stability Test and no obvious degradation and precipitation were observed. The loss rate is less

**PROPERTIES** 

**NOTE:** The product listed herein is for research use only and is not intended for use in human or clinical diagnosis. Suggested applications of our products are not recommendations to use our products in violation of any patent or as a license. We cannot be responsible for patent infringements or other violations that may occur with the use of this product. The product listed herein is for research use only and is not intended for use in human or clinical diagnosis. Suggested applications of our products are not recommendations to use our products in violation of any patent or as a license. We cannot be responsible for patent infringements or other violations that may occur with the use of this product.

than 5% within the expiration date under appropriate storage condition.